



## Inspection Report

FRED NORTHCROSS  
JAN NORTHCROSS

Customer ID: **24163**

Certificate: **71-A-0972**

Site: 002

FRED NORTHCROSS & JAN NORTHCROSS

FLYIN' G KENNEL  
1313 MADISON 1490

Type: ROUTINE INSPECTION

Date: May-25-2010

HUNTSVILLE, AR 72740

### 3.1

#### HOUSING FACILITIES, GENERAL.

(b) Condition and site. Housing facilities and areas used for storing animal food or bedding must be free of any accumulation of trash, waste material, junk, weeds, and other discarded materials. Animal areas inside of housing facilities must be kept neat and free of clutter, including equipment, furniture, and stored material, but may contain materials actually used and necessary for cleaning the area, and fixtures or equipment necessary for proper husbandry practices.

The facility consists of one cattery building and one dog building. In the dog building there is an accumulation of discarded materials such as shredded paper and soda cans / bottles. In both buildings there are open bags of dry animal feed. In the cattery there is a strong ammonia smell which burns the eyes and nose. The dealer stated the cattery had not been thoroughly cleaned since the previous weekend. Both buildings needs to be cleaned and maintained to facilitate husbandry practices prevent the spread of disease and to protect the health and welfare of the contained animals.

Affects twenty-five animals.

Correct by June 1, 2010

The inspection and exit briefing was conducted by the Dealer and Sandra Meek, ACI.

The last inspection was conducted on June 2, 2009.

#### Prepared By:

SANDRA K MEEK, A.C.I. USDA, APHIS, Animal Care

Date:

Title: ANIMAL CARE INSPECTOR Inspector 4040

May-25-2010

#### Received By:

(b)(6),(b)(7)(c)

Date:

Title:

May-25-2010



## Inspection Report

---

FRED NORTHCROSS  
JAN NORTHCROSS

Customer ID: **24163**

Certificate: **71-A-0972**

FLYIN' G KENNEL  
1313 MADISON 1490

Site: 002

FRED NORTHCROSS & JAN NORTHCROSS

HUNTSVILLE, AR 72740

Type: ROUTINE INSPECTION

Date: Jun-02-2009

---

This change of location inspection was conducted by the Dealer and Sandra Meek, ACI.

No non-compliances identified this inspection.

---

**Prepared By:**

SANDRA K MEEK, A.C.I. USDA, APHIS, Animal Care

**Title:** ANIMAL CARE INSPECTOR Inspector 4040

**Date:**

Jun-02-2009

**Received By:**

(b)(6),(b)(7)(c)

**Date:**

Jun-02-2009

**Title:**



## Inspection Report

---

FRED NORTHCROSS  
FLYIN' G KENNEL  
1313 MADISON 1490

Customer ID: **24163**  
Certificate: **71-A-0972**  
Site: 002

FRED NORTHCROSS & JAN

Type: ROUTINE INSPECTION

Date: Mar-18-2009

HUNTSVILLE, AR 72740

---

**3.1** (b)  
**HOUSING FACILITIES, GENERAL.**

(b) Condition and site.

On the interior of the cattery building there is an open shelf which contains items not used in the husbandry of the animals such as paint and chemical products. Animal areas inside of housing facilities must be kept neat and free of clutter, including equipment, furniture, and stored material, but may contain materials actually used and necessary for cleaning the area, and fixtures or equipment necessary for proper husbandry practices. On the ceiling of the old building portion there are electrical outlets. The outlets do not have covers to protect the bare wiring and protect the building from hazards which could injure the contained animals.

Affects twenty adults and five kittens.

**3.3** (c)  
**SHELTERED HOUSING FACILITIES.**

(c) Lighting. Sheltered housing facilities for dogs and cats must be lighted well enough to permit routine inspection and cleaning of the facility, and observation of the dogs and cats.

In the older portion of the cattery building there are four interior enclosure portions which need additional lighting to allow for routine inspection, cleaning of the facility and observations of the cats to facilitate husbandry practices and to protect the health and welfare of the contained animals.

Affects ten adults.

**3.6** (a) (1)  
**PRIMARY ENCLOSURES.**

Primary enclosures for dogs and cats must meet the following minimum requirements: (a) General requirements. (1) Primary enclosures must be designed and constructed of suitable materials so that they are structurally sound. The primary enclosures must be kept in good repair.

---

**Prepared By:**

SANDRA K MEEK, A.C.I.      USDA, APHIS, Animal Care  
Title: ANIMAL CARE INSPECTOR      Inspector 4040

**Date:**  
Mar-18-2009

**Received By:**

(b)(6), (b)(7)(c)

**Date:**  
Mar-18-2009

Title:



## Inspection Report

---

The cattery consists of one sheltered building. On the exterior of the old portion of the building there are enclosure portions on the east and western sides. The wooden exterior wall and floor surfaces of four enclosure portions are worn and rotting from exposure to the elements. Primary enclosures must be designed and constructed of suitable materials so that they are structurally sound. The primary enclosures must be kept in good repair to protect the health and welfare of the contained animals.

Affects twenty adults.

This change of location inspection was conducted by the Dealer and Sandra Meek, ACI.

No regulated activities may be conducted until passing an inspection with no non-compliances

---

**Prepared By:**

SANDRA K MEEK, A.C.I.      USDA, APHIS, Animal Care  
Title:      ANIMAL CARE INSPECTOR      Inspector 4040

**Date:**  
Mar-18-2009

**Received By:**

(b)(6), (b)(7)(c)

**Date:**  
Mar-18-2009

Title: